













Shenzhen Hoday Water Technology Development Co.,Ltd

Huayuan Building,60#industry 8th Road,Shekou,Nanshan District,Shenzhen China
Tel:86-755-13684988947 Fax:86-755-26693016-17 Email:lpd@hoday.cn

Products List

Model	Picture	Features	Common features
618A		Electrolytic technology 7*3steps PH value PH from 3.0-10.0 National patent v2.0 DUPONT ionic membrane ORP: -200/-1000mv 5-plates 4 electro-baths colorful LCD Can display PH	Common Features: 1)0.01micron ultrafiltration system 2)8-bit control microchip from NEC 3) Auto-electrode reversing and self-cleaning 4)Automatic indicate replacing filter element 5)Upgradable program design 6)Super anti-corrosive Ti-Pt alloy electro-bath 7)Fireproof and steel-surpassed plastics 8)Unique strong 5-grade filtering system 9)In-water flow display 10)Mildew-proof and moth-proof function 11)Nation patent water quality control system 12)Overvoltage and overcurrent protection 13)PH value adjustable 14)Continuous large-capacity electrolysis 15)Supplement Micro-elements 16)Touch keys, LED and LCD 17)Built-in edible silicon tube 18)Wall-mounted or table type 19)Human engineering appearance design 20)5-plates 4 electro-baths
618AA		Electrolytic technology magnetism function 7*3steps PH value PH from 3.0-10.0 National patent v2.0 DUPONT ionic membrane ORP: -200/-1000mv 5-plates 4 electro-baths colorful LCD Can display PH	
618B		Electrolytic technology 7*3steps PH value PH from 4.0-9.7 National patent v2.0 DUPONT ionic membrane ORP: -200/-900mv 5-plates 4 electro-baths Black&white LCD Cannot display PH	
618BB		Electrolytic technology magnetism function 7*3steps PH value PH from 4.0-9.7 National patent v2.0 DUPONT ionic membrane ORP: -200/-900mv 5-plates 4 electro-baths colorful LCD Can display PH	

618CC		<p>Electrolytic technology magnetism function 5steps PH value PH from 4.5-9.5 National patent v1.5 Germany ionic membrane ORP:-200/-800mv 5-plates 4 electro-baths colorful LCD Can display PH</p>	<p>Common Features:</p>
816		<p>Electrolytic technology 5steps PH value PH from 4.5-9.5 National patent v1.5 Germany ionic membrane ORP:-200/-800mv 5-plates 4 electro-baths colorful LCD Can display PH</p>	<p>1)0.01micron ultrafiltration system 2)8-bit control microchip from NEC 3) Auto-electrode reversing and self-cleaning 4)Automatic indicate replacing filter element 5)Upgradable program design 6)Super anti-corrosive Ti-Pt alloy electro-bath 7)Fireproof and steel-surpassed plastics 8)Unique strong 5-grade filtering system</p>
618DD		<p>Electrolytic technology magnetism function 5steps PH value PH from 5.0-9.5 National patent v1.0 Asahi ionic membrane ORP:-200/-600mv 5-plates 4 electro-baths colorful LCD Can display PH</p>	<p>9)In-water flow display 10)Mildew-proof and moth-proof function 11)Nation patent water quality control system 12)Overvoltage and overcurrent protection 13)PH value adjustable 14)Continuous large-capacity electrolysis 15)Supplement Micro-elements 16)Touch keys, LED and LCD</p>
619		<p>Electrolytic technology 5steps PH value PH from 5.0-9.5 National patent v1.0 Asahi ionic membrane ORP:-200/-600mv 5-plates 4 electro-baths Black&white LCD Cannot display PH</p>	<p>17)Built-in edible silicon tube 18)Wall-mounted or table type 19)Human engineering appearance design 20)5-plates 4 electro-baths</p>
619J		<p>No LCD Electrolytic technology 4steps PH value PH from 5.0-9.5 National patent v1.0 Asahi ionic membrane ORP:-200/-600mv 3-plates 2 electro-baths</p>	<p>1)0.01micron ultrafiltration system 2)8-bit control microchip from NEC 3)Auto-electrode reversing and self-cleaning 4)Super anti-corrosive Ti-Pt alloy electro-bath 5)Fireproof and steel-surpassed plastics 6)Unique strong 5-grade filtering system 7)Mildew-proof and moth-proof function 8)Nation patent water quality control system</p>

Packing		<p>1pcs in a colorful box 4pcs in a big carton carton dimension: 77*33*37.5CM=0.095CBM</p>	<p>621,618JY,618DY,618YY,618A, 618AA,618B,618BB,618CC 816,618DD,619,619J,618EE,622U Dimension:195*125*295mm Weight:10kg/pcs(with prefilter)</p>
prefilters		<p>5um pp cotton in it Activated carbon in it</p>	<p>for following Models: 816,619,619J 618A,618B,</p>
		<p>5um pp cotton in it Activated carbon in it activated carbon in it magnetism device</p>	<p>for following Models: 618AA,618BB,618CC,618DD</p>
others	   	<p>5um pp cotton activated carbon 0.01um hollow fiber magnetism device</p>	

Remark:

- 1.the Standard set have the pre-filters.**
- 2.Customized pre-filters available for special district**